

## PACKAGE LEAFLET

*For animal treatment only*

### TAD VIT-E

oral solution of Vitamin E for horses, cattle, sheep, goats, pigs, dogs, cats, poultry

#### **1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT**

Marketing Authorisation Holder:

**PROVET S.A.**

120 Eleftherias Avenue, Eleousa, Zitsa, 45500 Ioannina, Greece

Tel.: +30 2105508500, +30 2105575770-3

E-mail: [vet@provet.gr](mailto:vet@provet.gr)

Manufacturer responsible for batch release:

**PROVET S.A. (FACTORY)**

Nikiforou Foka & Ag. Anargyron, Thesi Vrago,

193 00 Aspropyrgos, Attiki, Greece

#### **2. NAME OF THE VETERINARY MEDICINAL PRODUCT**

**TAD VIT-E**

oral solution

10g Vitamin E/100ml

for Horses, Cattle, Pigs, Sheep, Goats, Dog, Cat, Poultry

#### **3. STATEMENT OF THE ACTIVE SUBSTANCES AND OTHER INGREDIENTS**

100 ml of solution contain:

**Active substance:** 10 g Vitamin E acetate

**Excipients:** Cremophor EL, Glycerin, Butylated hydroxyanisole, Methyl parahydroxybenzoate, Propyl parahydroxybenzoate, Purified water

#### **4. INDICATIONS**

Horses-Cattle-Pigs-Sheep-Goats-Dog-Cat: TAD VIT-E<sup>®</sup> is indicated for cases such as infertility of male and female animals, recurrent abortion, oligospermia, reproductive system disturbances, muscular dystrophy and myopathies related to vitamin E deficiency.

Poultry: TAD VIT-E<sup>®</sup> is indicated for cases such as decreased hatching, decreased egg production, encephalomalacia, exudative diathesis of chicken and enzootic muscular dystrophy of ducklings and goslings related to vitamin E deficiency.

#### **5. CONTRAINDICATIONS**

None

#### **6. ADVERSE REACTIONS**

None.

The frequency of adverse reactions is defined using the following convention:

- very common (more than 1 in 10 animals treated displaying adverse reaction(s))
- common (more than 1 but less than 10 animals in 100 animals treated )
- uncommon (more than 1 but less than 10 animals in 1,000 animals treated)
- rare (more than 1 but less than 10 animals in 10,000 animals treated)
- very rare (less than 1 animal in 10,000 animals treated, including isolated reports).

If you notice any side effects, even those not already listed in this package leaflet or you think that the medicine has not worked, please inform your veterinary surgeon.

#### **7. TARGET SPECIES**

Horses, Cattle, Pigs, Sheep, Goats, Dog, Cat, Poultry

## **8. DOSAGE FOR EACH SPECIES, ROUTE AND METHOD OF ADMINISTRATION**

Administer per os either by dilution in the drinking water or mixing in the final feed. The duration of the treatment depends on the severity of the condition. The following doses are generally recommended per day:

Horses-Cattle: 3-5 ml/ animal

Calves-Foals: 2-3 ml/ animal

Boars-Sows: 3 ml/ animal

Pigs-Sheep-Goats: 2 ml/ animal

Dog-Cat: 1 ml/ animal

Poultry: administer 100 ml per day to 1500 hens or 700 pullets or 500 laying hens in the drinking water for 3 days. Initially, 100 ml are dissolved in 10 L of water and this solution is added to drinking water.

## **9. ADVICE ON CORRECT ADMINISTRATION**

None

## **10. WITHDRAWAL PERIOD(S)**

Meat & edible tissues: 0 days

Milk: 0 days

Eggs: 0 days

## **11. SPECIAL STORAGE PRECAUTIONS**

Keep out of the sight and reach of children.

Store below 25 °C.

Shelf life after reconstitution according to instructions: 24 hours

Once opened, use immediately the content .

Do not use this veterinary medicinal product after the expiry date which is stated on the label. The expiry date refers to the last day of that month.

## **12. SPECIAL WARNINGS**

None.

## **13. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCT OR WASTE MATERIALS, IF ANY**

Ask your veterinary surgeon how to dispose of medicines no longer required. These measures should help to protect the environment.

## **14. DATE ON WHICH THE PACKAGE LEAFLET WAS LAST APPROVED**

JANUARY 2011

## **15. OTHER INFORMATION**

### **PACKAGES**

Vial of 250 ml, 1000 ml

Not all pack sizes may be marketed.

For any information about this veterinary medicinal product, please contact the local representative of the marketing authorization holder.

**\*under veterinary medical prescription\***

**KEEP OUT OF THE SIGHT AND REACH OF CHILDREN**